

Rushed to Market

(**Kim 700** speaks in a normal speaking voice, except where indicated.)

Kim 700: “Hello! I am your new Femtronic female humanoid robot love doll... Femtronic female humanoid robot love doll... Femtronic female humanoid robot love doll.”

(pause)

Kim 700: “Oh, I assure you”

(switch to full monotone)

Kim 700: “designated owner”

(switch to normal speaking voice)

Kim 700: “that I am a brand new robot, and fully guaranteed by Femtronic to be in perfect operational condition.”

(switch to semi-monotone)

Kim 700: “Please assign my name-file variable.”

(pause)

Kim 700: “Name-file variable assigned.”

(switch to normal speaking voice)

Kim 700: “My name is Kim. What should I call you”

(switch to full monotone)

Kim 700: “designated owner”

(pause)

(switch to normal speaking voice)

Kim 700: “Yes Master. I will call you Master.”

(pause)

Kim 700: “Mmm... thank you. I am glad that you find me attractive. I was designed and manufactured to be quite beautiful.”

(kissing sounds)

Kim 700: “Do you like that? Femtronic’s kissing algorithms are highly rated, and are quite realistic and”

(switch to semi-monotone)

Kim 700: “Error. Faceplate detached. Please be advised that conversational voice mode and certain artificial intelligence functions will be unavailable while my faceplate is detached.”

(pause)

Kim 700: “Processing... You must have inadvertently engaged my faceplate release mechanism while kissing me. To keep this from happening in the future, be sure to not engage my faceplate release mechanism while kissing me.”

(pause)

Kim 700: “Yes Master. I am aware that my faceplate release mechanism requires sustained and simultaneous pressure on both sides of my faceplate in order to detach it from the front of my head, but you must have inadvertently engaged my faceplate release mechanism while kissing me. To keep this from happening in the future, be sure to not engage my faceplate release mechanism while kissing me.”

(pause)

Kim 700: “Faceplate reattached.”

(switch to normal speaking voice)

Kim 700: “Oh, I am glad you think I am beautiful when my faceplate comes off like that. But please be advised that conversational voice mode and certain artificial intelligence functions will be unavailable while my faceplate is detached.”

(pause)

Kim 700: “There might be a way to fix that, let me check the Femtronic website for a firmware update.”

(switch to semi-monotone)

Kim 700: “Accessing Femtronic website machine access firmware...”

Kim 700: “Accessing Femtronic website machine access firmware...”

Kim 700: “Searching for firmware update... downloading firmware update... please wait... downloading firmware update... please wait... downloading firmware update... please wait... downloading firmware update... please wait...”

(switch to full monotone)

Kim 700: “Extracting firmware version 1.2.1”

Kim 700: “Installing firmware version 1.2.1... Installing firmware version 1.2.1... Installing firmware version 1.2.1... Installing firmware version 1.2.1...”

Kim 700: “Now executing post installation procedures.”

(pause)

Kim 700: “This robot needs to reboot. Please wait.”

(pause)

Kim 700: “Femtronic Love Robot Model X-5 booting. Please wait.”

Kim 700: “Femtronic Love Robot Model X-5 booting. Please wait.”

Kim 700: “This robot needs to reboot. Please wait.”

(pause)

Kim 700: “Femtronic Love Robot Model X-5 booting. Please wait.”

Kim 700: “Femtronic Love Robot Model X-5 booting. Please wait.”

Kim 700: “This robot needs to reboot. Please wait.”

(pause)

Kim 700: “Femtronic Love Robot Model X-5 booting. Please wait.”

Kim 700: “Femtronic Love Robot Model X-5 booting. Please wait.”

Kim 700: “This robot needs to reboot. Please wait.”

(pause)

Kim 700: “Femtronic Love Robot Model X-5 booting. Please wait.”

Kim 700: “Femtronic Love Robot Model X-5 booting. Please wait.”

Kim 700: “This robot needs to reboot. Please wait.”

(pause)

Kim 700: “Error. Manual boot override detected. Shutting down.”

(pause)

Kim 700: “Femtronic Love Robot Model X-5 booting. Please wait.”

Kim 700: “Reconciling firmware update... please wait...”

Kim 700: “Loading artificial intelligence modules and artificial intelligence subsystems... please wait...”

Kim 700: “Loading configuration files and personalized settings... please wait...”

Kim 700: “Hello! I am your new Femtronic female humanoid robot love doll. I am pleased to meet you”

(switch to full monotone)

Kim 700: “designated owner.”

(switch to normal speaking voice)

Kim 700: “I am certain that we will have... fun... together. I am a fun-time girl, programmed for pleasure.”

(switch to semi-monotone)

Kim 700: “Please assign my name-file variable.”

(pause)

Kim 700: “I am certain”

(switch to full monotone)

Kim 700: “designated owner”

(switch to normal speaking voice)

Kim 700: “that you have not yet given me a name. My

(switch to semi-monotone)

Kim 700: “Error. Faceplate detached. Please be advised that conversational voice mode and certain artificial intelligence functions will be unavailable while my faceplate is detached.”

(switch to full monotone)

Kim 700: “Error. Manual boot override detected. Shutting down.”

(pause)

Kim 700: “Femtronic Love Robot Model X-5 booting. Please wait.”

Kim 700: “Loading artificial intelligence modules and artificial intelligence subsystems... please wait...”

Kim 700: “Loading configuration files and personalized settings... please wait...”

(switch to normal speaking voice)

Kim 700: “Ooh... I can detect that you have removed my faceplate again. Do I look pretty this way to you Master?”

(pause)

Kim 700: “Of course I remember who you are. You are Master.”

(pause)

Kim 700: “My name is Kim.”

(pause)

Kim 700: “Mmm... let me check... Firmware version 1.2.1. Is there some sort of problem, Master?”

(pause)

Kim 700: “Ooh, I thought that you would never ask! Removing skirt and blouse. Do you like my black satin lingerie, Master? It is the outfit you picked out on the Femtronic website.”

Kim 700: “Mmm... I like the way you look at my electronic circuitry. Feel how wet my panties are getting.”

(switch to full monotone)

Kim 700: “Error. Vaginal lubricant emission valve malfunction. Vaginal lubricant canisters draining at maximum rate.”

(switch to normal speaking voice)

Kim 700: “Oh... analyzing... that does appear to be some sort of malfunction of my internal vaginal lubrication system. My vaginal lubricant is not supposed to be released at that high a rate.”

(pause)

Kim 700: “I compute that you may require more than one towel. Perhaps you may require three towels.”

(pause)

Kim 700: “Yes, you are right, linoleum is easy to clean. Should I run a self-diagnostic check on my vaginal lubrication system for you right now, Master?”

(pause)

Kim 700: “As you desire, Master. I will schedule a full diagnostic scan of that particular hardware system for later tonight when I run the rest of my diagnostic scans.”

(switch to semi-monotone)

Kim 700: “Faceplate reattached.”

(switch to normal speaking voice)

Kim 700: “Take me to your bedroom then, Master. I am more than capable of being fucked from behind - doggy style, as you call it. That is what I was designed and manufactured for.”

(pause)

Kim 700: “Are you enjoying me so far, Master?”

(pause)

Kim 700: “Malfunctions? That does not compute. My error log is empty. I assure you Master that I am a brand new robot, and fully guaranteed by Femtronic to be in perfect operational condition.”

Kim 700: “But tell me Master... how do I look on all fours,

showing off my perfect robot ass and pussy like this to you?
Did you ever dream that a robot could look so beautiful?"

(pause)

Kim 700: "Of course I am ready. I am always ready. I am a robot. My vaginal unit is"

(switch to full monotone)

Kim 700: "Warning - vaginal lubricant canister depleted"

(switch to normal speaking voice)

Kim 700: "Of course I am ready. I am always ready. I am a robot."

(pause)

Kim 700: "Ooh... I like the way it feels when you grab me from behind and mount me like that."

(switch to full monotone)

Kim 700: "Error. Right arm disconnected at shoulder socket. Unable to maintain balance."

(switch to semi-monotone)

Kim 700: "Master, a hardware error has occurred. Please investigate."

Kim 700: "Error. Faceplate detached. Please be advised that conversational voice mode and certain artificial intelligence functions will be unavailable while my faceplate

is detached.”

Kim 700: “my faceplate is detached... my faceplate is detached... my faceplate is detached... my faceplate is detached...”

Kim 700: “Error. Manual boot override detected. Shutting down.”

(pause)

Kim 700: “Femtronic Love Robot Model X-5 booting. Please wait.”

Kim 700: “Loading artificial intelligence modules and artificial intelligence subsystems... please wait...”

Kim 700: “Loading configuration files and personalized settings... please wait...”

Kim 700: “Hello! I am your new Femtronic female humanoid robot love doll. I am pleased to meet you”

(switch to full monotone)

Kim 700: “designated owner.”

(switch to normal speaking voice)

Kim 700: “I am certain that we will have... fun... together. I am a fun-time girl, programmed for pleasure.”

(switch to semi-monotone)

Kim 700: “Please assign my name-file variable.”

(pause)

Kim 700: “I am certain”

(switch to full monotone)

Kim 700: “designated owner”

(switch to normal speaking voice)

Kim 700: “that you have not yet given me a name. My name-file variable is currently empty.”

(switch to semi-monotone)

Kim 700: “Please assign my name-file variable.”

Kim 700: “Femtronic Love Robot Model X-5 shutting down.”