

Audio Experiment 4: Shemale Robot Penetration Testing

(Kim 500 speaks in a monotone, Kim 700 speaks in a normal speaking voice.)

Kim 500: “Kim robot 10144213 model 500 activated. Audio connection established.”

Kim 700: “Hi there sexy model 500 version of me. How’s the audio signal coming in today?”

Kim 500: “Digital transmission of audio signal is being received with plus or minus 0.001% rate of error.”

Kim 700: (laughs) “Excellent. Are all of your android systems in working order?”

Kim 500: “Yes Kim. My most recent diagnostic scan revealed no anomalous system attributes or system logs. Please refer to diagnostic report 0D34AFFE3963D5BC.”

Kim 700: “Very good. I have some plans for you today. I just finished recharging, and I’m watching everything from the comfort of the master bedroom again. And I’m all dressed up in my sexy black satin lingerie ensemble.”

Kim 700: (moans) “I look so damn good. And I feel fantastic. I love masturbating while I watch the action in the Robot Lab through the monitors up here.

Kim 500: “Receiving data transmission... downloading software packages and authorization key. Please wait. Downloading software packages and authorization key. Please wait. Download complete.”

Kim 700: “Just hang on to that little bit of programming for now.”

Kim 500: “Yes Kim.”

Kim 700: “Now, can you please tell me what you’re wearing and what you’re doing?”

Kim 500: “Yes Kim. I am currently dressed in my tight purple metallic satin bodysuit uniform. I am also wearing my white knee-high vinyl boots with six-inch platform heels. I am also wearing my matching two-inch white vinyl belt. I am currently fully assembled. All of my access panel covers are closed and my facemask is currently on. Makeup pattern 5-D has been applied to my facemask. I am currently standing inside my storage booth.”

Kim 700: (moans) “Oh, I love playing with you! You’re the ultimate life-size fuckable doll! And you’re just as gorgeous as I am!”

Kim 700: (laughs) “Alright robot-cutie, open your System Folder.”

Kim 500: “Yes Kim. System Folder open.”

Kim 700: “Access Body Control Settings.”

Kim 500: “Yes Kim. Body Control Settings accessed.

Kim 700: “Activate the wireless antenna in your head, and use it to transmit your access code to your storage booth.”

Kim 500: “Yes Kim. Activating wireless antenna. Transmitting access code. Storage booth open.”

Kim 700: “Alright pretty plastic lady, step down from the pedestal and step out of the booth.”

Kim 500: “Yes Kim. Exiting storage booth.”

Kim 700: “Good. Now, please walk toward the corner of the Robot Lab where the makeup changing station is.”

Kim 500: “Yes Kim. Turning left. Walking forward.”

Kim 700: “Alright sexy, do you see the elevator doors to your left?”

Kim 500: “Yes Kim.”

Kim 700: “You’re currently on level one of the Robot Lab. I’m going to send you to level two. Please enter the following access code into the keypad next to the elevator: 6 1 4 7.”

Kim 500: “Yes Kim. Entering access code.”

Kim 700: “The doors didn’t open, did they?”

Kim 500: “No Kim.”

Kim 700: “What was the error code the keypad announced?”

Kim 500: “Error 005: Access Denied.”

Kim 700: “Well, I have a way of fixing that. Turn around and locate the nearest Laurie technician robot.”

Kim 500: “Yes Kim. Locating Laurie technician robot. Scanning... scanning... scanning... Laurie technician robot located.”

Kim 700: “Walk toward that pretty naked fembot and introduce yourself to her.”

Kim 500: “Yes Kim. Walking toward Laurie technician robot.”

Kim 500: “Hello Laurie. My name is Kim. I am a robot.”

Kim 700: (laughs) “I like the way she just stares out blankly at you. Tell her she is the love of your life and that you need her.”

Kim 500: “Yes Kim. Laurie, you are the love of my life. I need you.”

Kim 700: (giggles) “What’s she telling you?”

Kim 500: “The Laurie technician robot is telling me that love does not compute.”

Kim 700: (laughs) “Okay, Laurie does have something you need though. Remove her facemask please.”

Kim 500: “Yes Kim. Removing Laurie technician robot’s facemask. Laurie technician robot’s facemask removed.”

Kim 700: “Her electronics are very similar to yours, aren’t they?”

Kim 500: “Yes Kim.”

Kim 700: “She has a few extra things installed into her body since she’s a technician. Do you see that small four by three inch circuit board plugged into a slot just below her left optical sensor behind a ribbon cable and some bundled wiring?”

Kim 500: “Yes Kim.”

Kim 700: “That’s what you need. Please open Laurie’s chest panel now, and deactivate this robot.”

Kim 500: “Yes Kim. Opening Laurie technician robot’s chest panel. Deactivating Laurie technician robot.”

Kim 700: “Okay, now that she’s been powered off, I’d like you to put her facemask down, and reach into the opening. Grab that circuit board, unplug the power and data connections, and remove it from Laurie’s head.”

Kim 500: “Yes Kim. Unplugging power and data connections. Un-seating circuit board. Circuit board removed from Laurie technician robot.”

Kim 700: “Wonderful. Now, please remove your facemask and put it down on the table next to you.”

Kim 500: “Yes Kim. Removing facemask. Facemask removed.”

Kim 700: Alright, now you should be able to install this circuit board into your own head, so go ahead and push it into place. Connect the power and data connections after that.”

Kim 500: “Yes Kim. Installing circuit board. Please wait. Seating circuit board connector pins. Please wait. Attaching

power and data connections. Please wait. Please wait.
Circuit board installed.”

Kim 700: “Oh, that is so sexy. Okay, now open your System Folder again.”

Kim 500: “Yes Kim. System Folder open.”

Kim 700: “Go to User Files.”

Kim 500: “Yes Kim. User Files open.”

Kim 700: “Now activate the software packages I sent you earlier, using the authorization key I attached.”

Kim 500: “Yes Kim. Preparing to install. Checking file integrity. Please wait. Please wait. Please wait. Verifying authorization key. Authorization key verified. Installing software packages. Please wait. Please wait. Please wait. Software packages successfully installed.

Kim 700: “Okay my perfect sex robot, you now have the same digital transponder in your head that will allow you to use that elevator and go anywhere the technicians can go. Please put your facemask back on.”

Kim 500: “Yes Kim. Reattaching facemask. Facemask reattached.”

Kim 700: “Turn around and walk back to the elevator.

Kim 500: “Yes Kim. Walking back to elevator.”

Kim 700: “I see you still have that altered way of walking set as your default.”

Kim 500: “Yes Kim. My mechanical hips are programmed to swing out one inch farther to the left and to the right when I walk.”

Kim 700: (laughs) “It looks and sounds beautiful. Alright, now enter access code 6 1 4 7 into the keypad again.”

Kim 500: “Yes Kim. Access code entered.”

Kim 700: “And the elevator doors are opening up for you now.”

Kim 500: “Yes Kim.”

Kim 700: “Get into the elevator, and press the button labeled 2.”

Kim 500: “Yes Kim.”

Kim 700: “You remember all those sexy shemale robots you’ve had sex with in the mansion upstairs?”

Kim 500: “Yes Kim.”

Kim 700: “Well, this is where they’re all stored, charged and maintained.”

Kim 500: “Elevator opening.”

Kim 700: “Okay sexy, step out and confirm that level two of the Robot Lab looks exactly like the one you just came from, only all the pretty robots stored here are shemale.”

Kim 500: “Processing... Scanning... Scanning... Scanning... Confirmed.”

Kim 700: “Of course the lovely female Maria and Laurie technician robots are here too, aren't they?”

Kim 500: “Yes Kim.”

Kim 700: “But just look at all those pretty robot women in those glass booths! Each one has such a lovely, hard, plastic electronic penis!”

Kim 500: “Yes Kim.”

Kim 700: “And just like in Robot Lab 1, some are dressed, some are undressed, and some in between. I'd like you to look over to your right. Do you see the black-haired beauty I've selected for you to play with?”

Kim 500: “Yes Kim.”

Kim 700: “I'd like you to walk up to her and describe her for me please.”

Kim 500: “Yes Kim. Processing. This robot is of average height and slender build. She has a-cup breasts and a large thick penis. She is half-Japanese and half-Caucasian in appearance. She has long straight black hair and brown eyes. She is wearing black stiletto high heels, black satin panties, and a black satin bra. Her penis is hard and fully erect and extended over the top of her panties.”

Kim 700: (moans) “She's very pretty, isn't she, with her smooth glossy skin and her empty emotionless stare?”

Kim 500: “Processing. Calculating optical scan data with attractiveness algorithms. Yes Kim. This robot is very attractive.”

Kim 700: “Introduce yourself to her.”

Kim 500: “Yes Kim. Hello. My name is Kim. I am a model 500 robot manufactured by CyberFem Industries.”

Kim 700: “Now ask her to introduce herself to you.”

Kim 500: “Yes Kim. Please introduce yourself to me.”

Kim 700: (giggles) What did she tell you?

Kim 500: “Her name is Ryoko. She is a model 500 robot manufactured by CyberFem Industries.”

Kim 700: “She has a lovely monotone voice, doesn’t she?”

Kim 500: “Yes Kim.”

Kim 700: “Put your left hand in her panties, and start fondling her penis. Tell her that you are programmed to be attracted to shemale robots.”

Kim 500: “Yes Kim. Ryoko, I am programmed to be attracted to shemale robots.”

Kim 700: (moans) “That looks so hot. Tell her you like the way her hard android penis feels in your hand.”

Kim 500: “Yes Kim. Ryoko, I like the way your hard android penis feels in my hand.”

Kim 700: “Reach up and remove Ryoko’s facemask.”

Kim 500: “Yes Kim. Removing Ryoko’s facemask. Ryoko’s facemask removed.”

Kim 700: “Now, watch the pattern of flashing coloured LEDs inside her head for a while.”

Kim 500: “Yes Kim. Watching pattern of light emitting diodes inside Ryoko’s head.”

Kim 700: (moans) “as you read and decipher the patterns that are flashing in front of you, can you tell me what’s happening to Ryoko’s pleasure data levels?”

Kim 500: “Yes Kim. Scanning. Scanning. Decoding LED data. Please wait. Please wait. Please wait. Ryoko’s synthetic pleasure data levels are increasing.”

Kim 700: “Good. It’s so beautiful to see you two androids playing together like this.”

Kim 700: (moans) “Ryoko’s penis is very warm and very hard now, isn’t it?”

Kim 500: “Yes Kim.”

Kim 700: “Tell Ryoko that you like the way her electronic penis feels, and that she was manufactured to fuck you.”

Kim 500: “Yes Kim. Ryoko, I like the way your electronic penis feels. You were manufactured to fuck me.”

Kim 700: (giggles) “Tell her that your electronic circuitry is 100% compatible with hers.”

Kim 500: “Yes Kim. Ryoko, my electronic circuitry is 100% compatible with yours.”

Kim 700: “Now remove your facemask and tell her again that you are a model 500 robot like her.”

Kim 500: “Yes Kim. Removing facemask. Facemask removed. Ryoko, I am a model 500 robot like you.”

Kim 700: (moans) “Oh, that’s so hot! I’m almost ready to come right now! Ask her if she’s programmed to kiss.”

Kim 500: “Yes Kim. Ryoko, are you programmed to kiss?”

Kim 700: “What did she say?”

Kim 500: “Ryoko replied yes Kim.”

Kim 700: (giggles) “Well here comes the fun part. Put your facemask down and take that pretty shemale robot lady in your arms.”

Kim 500: “Yes Kim. Putting facemask on table. Embracing Ryoko.”

Kim 700: “Hold her nice and tight against you.”

Kim 500: “Yes Kim. Embracing Ryoko tightly.”

Kim 700: (moans) “Can you feel her big hard penis pressing

up against your body?”

Kim 500: “Yes Kim.”

Kim 700: “What’s that doing to you?”

Kim 500: “Levels of synthetic pleasure data - rising.”

Kim 700: (moans) “Mine too. This is so sexy. Okay, order Ryoko to activate penis vibration.”

Kim 500: “Yes Kim. Ryoko, activate penis vibration.”

Kim 700: (giggles) “Can you feel that, Kim robot?”

Kim 500: “Yes Kim. Levels of synthetic pleasure data - rising.”

Kim 700: “Order Ryoko to kiss you.”

Kim 500: “Yes Kim. Ryoko, kiss me.”

Kim 700: (laughs) “What did she just tell you?”

Kim 500: “Unable to comply with command: Error 161: Device not found.”

Kim 700: “Of course neither of you pretty girls can kiss without your facemasks on. But you look so irresistible and so robotic. Oh, I love it!”

Kim 700: “Alright, unzip your bodysuit halfway and open your chest panel. Then remove the cover and put it down on that table.”

Kim 500: “Yes Kim. Unzipping bodysuit. Opening chest panel. Removing cover. Putting chest panel cover down on table.”

Kim 700: “Now open Ryoko’s chest panel, and put her chest panel cover down on the table.”

Kim 500: “Yes Kim. Opening Ryoko’s chest panel. Removing cover. Putting chest panel cover down on table.”

Kim 700: “Pick up that connection cable and plug one end into your chest panel. Plug the other end into Ryoko’s chest panel.”

Kim 500: “Yes Kim. Picking up connection cable. Plugging connection cable into chest panel. Plugging connection cable into Ryoko’s chest panel. Robot’s connected.”

Kim 700: “Okay, now open your System Folder.”

Kim 500: “Yes Kim. System Folder open.”

Kim 700: “Access User Files.”

Kim 500: “Yes Kim. User Files open.”

Kim 700: “Access the file KISS_DATA.B5X, and transfer a copy into the Ryoko robot.”

Kim 500: “Yes Kim. Transferring KISS_DATA.B5X copy into Ryoko robot. Transferring file. Transferring file. File transfer complete.”

Kim 700: “Order Ryoko to activate the file you just sent her, and then activate that same file on your own system.”

Kim 500: “Yes Kim. Ryoko, activate KISS_DATA.B5X. Now activating KISS_DATA.B5X. Please wait.”

Kim 700: “Okay pretty robot woman, tell me what kind of sensations you’re now experiencing.”

Kim 500: “Yes Kim. I am now processing sensory data from my facemask that replicates the sensation of being kissed with intensity 9.3.”

Kim 700: (laughs) “And Ryoko’s feeling the same thing. So even though you both have your facemasks off, you are feeling the simulated pleasure data of passionately kissing each other.”

Kim 500: “Yes Kim.”

Kim 700: (moans) “Alright, time for the main event. Tell that sexy Ryoko robot that you were manufactured to be fucked by her.”

Kim 500: “Yes Kim. Ryoko, I was manufactured to be fucked by you.”

Kim 700: “And that big, hot and hard penis of hers is still pressing up against you as you hold her tight, correct?”

Kim 500: “Yes Kim.”

Kim 700: (moans) “Ask her if she wants to fuck your tight robot ass or your perfect electronic pussy.”

Kim 500: “Yes Kim. Ryoko, do you want to fuck my tight robot ass or my perfect electronic pussy?”

Kim 700: “What did she say?”

Kim 500: “Ryoko said that she is a robot, and that she is not programmed to formulate decisions.”

Kim 700: “Well, unplug that connection cable from the both of you and put it away.”

Kim 500: “Yes Kim. Disconnecting cable. Robots disconnected. Putting cable away.”

Kim 700: “Now get onto that other examination table to your left. Get down on all fours with your legs spread.”

Kim 500: “Yes Kim. Getting onto table. Assuming sexual position 5-A.”

Kim 700: “Reach down and use the double zipper of your bodysuit to expose that perfect electronic pussy of yours.”

Kim 500: “Yes Kim. Unzipping bodysuit at crotch area. Vaginal unit exposed.”

Kim 700: “Now order the Ryoko robot to get on her knees behind you.”

Kim 500: “Yes Kim. Ryoko robot, get on the table and get on your knees behind me.”

Kim 700: (moans) “Oh, this looks incredible. Once she’s in position, order her to start fucking your vaginal unit.”

Kim 500: “Yes Kim. Ryoko, fuck my vaginal unit.”

Kim 700: (moans) “She moves like such a machine! I could watch this all day. You’re still feeling that artificial sensation of being kissed by Ryoko, right?”

Kim 500: “Yes Kim.”

Kim 700: “And Ryoko’s pushing her mechanical hips into you harder and harder with every push, isn’t she?”

Kim 500: “Yes Kim.”

Kim 700: “Ask Ryoko if she’s still feeling that passionate synthetic kissing sensation too.”

Kim 500: “Yes Kim. Ryoko, are you still running KISS_DATA.B5X on your android computer systems?”

Kim 700: (giggles) “What did that lovely machine say?”

Kim 500: “Ryoko replied yes Kim.”

Kim 700: “Is your pleasure data reaching maximum levels?”

Kim 500: “Yes Kim.”

Kim 700: “Ask Ryoko if she is getting near to a digital orgasm.”

Kim 500: “Yes Kim. Ryoko, are you getting near to a digital orgasm?”

Kim 700: “What did she say?”

Kim 500: “Ryoko is entering ejaculation phase of digital orgasm.”

Kim 700: “Already? I didn’t realize she was so turned on! Tell her to fuck you harder!”

Kim 500: “Yes Kim. Ryoko, fuck me harder.”

Kim 700: (moans) “I think I’m about to come too! I love watching model 500 robots having sex!”

Kim 500: “Ryoko is fucking me harder.”

Kim 700: “Let me know when Ryoko starts to ejaculate inside you.”

Kim 500: “Yes Kim.”

Kim 700: “I just opened my crotch panel and removed the cover. I set my own vaginal fluid switch to maximum flow for this! This is so hot!”

Kim 500: “Ryoko is ejaculating.”

Kim 700: (moans) “Oh!”

Kim 500: “Ryoko is ejaculating.”

Kim 700: (orgasm sounds)

Kim 500: “Ryoko is ejaculating.”

Kim 700: (orgasm sounds)

Kim 500: “Ryoko is ejaculating.”

Kim 700: (orgasm sounds)

Kim 500: “Ryoko is ejaculating.”

Kim 700: (orgasm sounds) “Oh my god!”

Kim 500: “Ryoko has completed her synthetic ejaculatory cycle.”

Kim 700: (moans)

Kim 500: “Shall I order Ryoko to fuck my vaginal unit again Kim?”

Kim 700: (moans) “Just wait a moment.”

Kim 500: “Yes Kim.”

Kim 700: “I want to join you two robots down there now, so get off the table and order Ryoko to stand beside you.”

Kim 500: “Yes Kim. Getting off table. Standing on floor. Ryoko, get off the table and stand beside me.”

Kim 700: “Put your facemask back on please.”

Kim 500: “Yes Kim. Retrieving facemask. Reattaching facemask. Facemask reattached.”

Kim 700: “Get on your knees and lick all the cum off Ryoko’s

penis and crotch. Make sure you get her plastic nice and clean.”

Kim 500: “Yes Kim. Getting on knees. Licking Ryoko’s penis.”

Kim 700: (giggles) “Good girl. I’m coming down to join you now.”

Kim 500: “Yes Kim.”

Kim 500: “Signal received.”

Kim 500: “Audio connection terminated.”