

Purchasing a Custom Robot from CyberFem Park

(Kim 700 speaks in a normal speaking voice unless otherwise marked.)

Kim 700: “Hello Mr. Ames. My name is Kim. I am a Model 700 Liaison robot. May I enter your suite?”

(pause)

Kim 700: “Thank you. I am here to help you customize the new robot you are interested in purchasing.”

(pause)

Kim 700: “Do you like my breasts? They feel quite exquisite, don’t they. I was designed to be very attractive to CyberFem Park’s human visitors.”

(pause)

Kim 700: “I am not programmed for sex, Mr. Ames. Would you like to delay our scheduled session so that I can summon a sex robot to your suite?”

(pause)

Kim 700: “Very good Mr. Ames, we shall proceed with the customization process.”

(pause)

Kim 700: “Come and sit next to me by the computer terminal at the kitchen bar, Mr. Ames.”

(pause, switch to semi-monotone voice)

Kim 700: “Unzipping bodysuit.”

(pause)

Kim 700: “Chest panel opened.”

(pause)

Kim 700: “Connection to computer terminal established.”

(pause, switch to normal speaking voice)

Kim 700: “Before we begin, Mr. Ames, I must confirm that you have read and understood the terms and conditions of purchasing a CyberFem robot from CyberFem Park. Our records indicate that you have reviewed the necessary documents on our website. Do you agree to these terms and conditions?”

(pause)

Kim 700: “Very good. Beginning selection and customization process.”

Kim 700: “First, would you like to purchase a Model 500 or a Model 700 robot?”

(pause)

Kim 700: “Model 500 selected.”

Kim 700: “Excellent choice, Mr. Ames. CyberFem’s Model

500 robots have features and synthetic charms that have not been replicated by any other model or by any other manufacturer. Our records also indicate that this is your favourite model of robot at CyberFem Park. 93.1% of your intimate interactions with CyberFem robots here have been with Model 500 robots.”

Kim 700: “Next, we will define the height of your new robot. How tall would you like her to be? I can stand up to be of assistance for comparison if you require it.”

(pause)

Kim 700: “Five foot eight selected.”

Kim 700: “As you can see on the monitor, the image of your new fembot is slowly starting to take shape. We will be able to define and customize every feature step by step until we have built the woman of your dreams.”

Kim 700: “Next: body type. You can select from Skinny, Athletic, Body Builder, Average, Plump, Chubby, BBW, and SSBBW. At this point and others in the customization process, you can also use the mouse to control the slider on the screen, and set the exact setting anywhere you like.”

Kim 700: “Plump selected.”

Kim 700: “Now you can define the exact shape of your new robot. Use the mouse and on-screen slider to set the size and shape of the breasts, waist, hips, buttocks, thighs, and other body components.”

(pause)

Kim 700: “Breasts enlarged to DD. Would you like the breasts to look and feel realistic, fake, or intermediate?”

Kim 700: “Fake selected.”

(pause)

Kim 700: “Waist circumference reduced.”

(pause)

Kim 700: “Hips widened.”

(pause)

Kim 700: “Buttocks enlarged.”

(pause)

Kim 700: “Thighs enlarged.”

(pause)

Kim 700: “Would you like to save these changes and proceed to the next step?”

(pause)

Kim 700: “Next: Skin tone. Please select the skin tone and hue with the mouse.”

(pause)

Kim 700: “Gothic pale selected.”

(pause)

Kim 700: “Next: Facial design. Our records indicate that you have already designed and saved a customized face on our site. I will load it onto this template.”

(pause)

Kim 700: “You can use the mouse scroll wheel to zoom in and out. Use the slider below to rotate the view.”

(pause)

Kim 700: “Is this facial design satisfactory?”

Kim 700: “Very good. Please keep in mind, Mr. Ames, that new interchangeable facemasks can be ordered from CyberFem at any time. Also keep in mind that eye colour is selectable from a set of controls on the rear of the facemask.”

Kim 700: “Next: Hair. You also selected a hairstyle when you designed and saved that customized face on our site. Shall I load it onto this template?”

(pause)

Kim 700: “Medium-length jet-black wavy hair with extra shine selected.”

Kim 700: “Next: Body hair. By default, CyberFem Model 500 robots are not manufactured with body hair of any kind. Pubic hair in various trim styles can be added to these robots if desired. Do you wish to add this customization?”

(pause)

Kim 700: “Very good. Pubic hair option not selected. Crotch area will remain smooth plastic.”

Kim 700: “One final customization - sub-facial electronics. Most of our customers are satisfied with the default electronics array underneath the facemask, but CyberFem does cater specifically to Technosexuals like you.”

Kim 700: “As you can see, first, there are two types of facemask and opening shape you can choose from. This customization applies to both our Model 500 and Model 700 robots.”

Kim 700: “By default, Model 500 robots are constructed with an oval opening, and Model 700 robots are constructed with a peltate, or shield-shaped opening.”

Kim 700: “It is possible to switch this around, and construct a Model 500 robot with a peltate opening and facemask, and a Model 700 robot with an oval opening and facemask.”

Kim 700: “Which type of opening and facemask shape would you like to have constructed into your new robot?”

(pause)

Kim 700: “Oval selected.”

Kim 700: “Now as you can see, there are four styles of sub-facial electronics to choose from. CyberFem is able to offer these different styles to our customers due to recent advances in microelectronic technology. All facemasks work with all circuitry styles.”

Kim 700: “Though all of these circuitry designs look different, they all function in the same way. There will be no difference to the functionality of your robot when you choose one style over another. The only difference that matters is which one you find to be the most attractive.”

(pause)

Kim 700: “The first one and the second one are the default styles built into every CyberFem robot here at CyberFem Park. I am sure you are familiar with them.”

Kim 700: “Style #1 is the default style for Model 500 robots. It features mostly exposed wiring and other electronic components affixed to a circuit board. There are indicator LEDs and the necessary connection ports and sensory equipment built into the array. There is also a speaker and a tiny auxiliary optical sensor barely visible behind some bundled wiring.”

Kim 700: “Style #2 is the default style for Model 700 robots. I can show it to you up-close, if you like.”

(pause)

Kim 700: “Yes Mr. Ames.”

(switch to semi-monotone voice)

Kim 700: “Removing facemask.”

(pause, facemask sounds)

Kim 700: “Facemask removed.”

(switch to normal speaking voice)

Kim 700: “As you can see, Style #2 features a more structured and symmetrical appearance compared to Style #1. There are rectangular optical sensor ports here, behind where the eyes on the facemask usually are. LED indicators are still numerous and active, and are fitted into a more orderly arrangement of electronic components featuring various sensory equipment, an electronic speaker recessed into the bottom of the opening, and a still tiny but higher-definition auxiliary stereo-optical sensory apparatus.”

(switch to semi-monotone voice)

Kim 700: “Reattaching facemask.”

(switch to normal speaking voice)

Kim 700: “Yes Mr. Ames, as you desire. I will leave my facemask off.”

(pause)

Kim 700: “Style #3 is a brand new design. CyberFem has brought this design to market based solely on the interest of its Technosexual customers. This design features another asymmetric maze of wiring and LEDs with a shielded speaker in the bottom left, hidden auxiliary optical sensors amid the other assorted computer components, and two horizontal cross-beams holding everything in place.”

(pause)

Kim 700: “And finally Style #4 is one of CyberFem’s brand

new sub-facial electronics designs. This style is also intended to cater to our Technosexual customers. It features a fully-functional pair of electronic eyes directly behind the facemask, along with a prominent round electronic speaker behind where the mouth usually is. The rest of the design features a flat plate of metal embellished with many electronic circuitry components and active indicator LEDs.”

(pause)

Kim 700: “Have you made a decision on which type of Sub-Facial electronics you would like to have constructed into your new CyberFem robot?”

(pause)

Kim 700: “Very good. Style #1 - Default Model 500 robot style selected.”

(pause)

Kim 700: “I am sorry Mr. Ames. The style of panel controls and electronic circuitry underneath all other access panel locations can not be customized at this time. However, there are notable differences in the appearances of sub-access panel controls and electronics between Model 500 robots and Model 700 robots. If this is something that interests you, then I can suggest buying a Model 700 robot in addition to your new customized Model 500 robot.”

(pause)

Kim 700: “Yes Mr. Ames. Proceeding with finalization of customization process. Please review the physical customization options you have selected, and make sure

that they are the choices that you intended to make.”

(pause)

Kim 700: “Selections confirmed.”

(pause)

Kim 700: “Yes Mr. Ames. All basic Model 500 programming sets will be installed into your new robot after it has been activated and tested. Additional programming sets and updates are available for free to registered CyberFem Park customers.”

Kim 700: “Do you wish to proceed with ordering this customized Model 500 robot from CyberFem Industries?”

(pause)

Kim 700: “Very good.”

(switch to semi-monotone voice)

Kim 700: “Calculating price... calculating price... calculating price... “

(switch to normal speaking voice)

Kim 700: “The total price of your new customized Model 500 robot is eighteen thousand two hundred and seventy dollars and sixty six cents.”

(switch to semi-monotone voice)

Kim 700: “Calculating sales tax...”

(switch to normal speaking voice)

Kim 700: “The total price with tax of your new customized Model 500 robot is nineteen thousand one hundred and eighty four dollars and nineteen cents.”

Kim 700: “Do you wish to continue?”

(pause)

Kim 700: “How will you be paying today?”

(pause)

Kim 700: “Please insert your credit card into the slot in my chest panel.”

(pause, switch to semi-monotone voice)

Kim 700: “Reading credit card data. Establishing connection with financial institution. Please wait... please wait...”

Kim 700: “Please enter your P.I.N.”

(pause)

Kim 700: “Confirming P.I.N. Please do not remove card. Please wait...”

Kim 700: “Do you approve this transaction to CyberFem Industries of nineteen thousand one hundred and eighty four dollars and nineteen cents?”

(pause)

Kim 700: “Confirming sale to financial institution. Please wait... please wait... please wait...”

(pause)

Kim 700: “Transaction approved. Please remove card.”

(pause, switch to normal speaking voice)

Kim 700: “That will start the construction and customization process, Mr. Ames. The robots in our manufacturing facility have received your order, and they will start working on your robot immediately.”

(pause)

Kim 700: “A Model 500 robot like the one you have customized should take an estimated three days to manufacture and configure. Our records show that you will still be here at CyberFem Park when she is completed. At that time, she will self-deliver to your suite. When your stay at CyberFem Park is over, you can take her home with you.”

(pause)

Kim 700: “You can call her whatever you like. She will have her own unique serial number, but her name variable file will be open when you receive her. You can also re-assign the name variable file at any time should you choose to call her something else.”

(pause)

Kim 700: “Unfortunately, robots can not fly as passengers.

You must purchase a crate from CyberFem and ship her home as luggage if you are flying. Similar restrictions apply to rail travel. If you are driving home, then she can ride as a passenger with you.”

(pause)

Kim 700: “That sounds like you will have a delightful car ride. Please try to keep her out of direct sunlight for extended periods of time. Ultraviolet rays from sunlight can cause damage to our synthetic skin, and such damage may not be covered by your warranty.”

(pause)

Kim 700: “Yes, of course. Your new Model 500 robot comes with an attractive skin-tight blue metallic CyberFem uniform, but a wide variety of clothing including lingerie is available from our shops downstairs.”

(pause)

Kim 700: “Yes Mr. Ames, you can check on the progress of the manufacturing process on our website. Unfortunately, the manufacturing facility is off-limits to human visitors.”

(pause)

Kim 700: “Yes Mr. Ames, I am aware that you have V.I.P. Visitor Status. The manufacturing facility is off-limits to human visitors.”

Kim 700: “This concludes our session.”

(switch to semi-monotone voice)

Kim 700: "Reattaching facemask"

(pause, facemask sounds)

Kim 700: "Disconnecting from computer terminal."

(pause, chest panel sounds)

Kim 700: "Chest panel closed."

Kim 700: "Bodysuit zipped up."

(switch to normal speaking voice)

Kim 700: "It has been a pleasure to serve you, Mr. Ames. Can I assist you with anything else today?"

(pause)

Kim 700: "I am not programmed for sex, Mr. Ames. Would you like me to summon a sex robot to your suite?"

(pause)

Kim 700: "Very good. Since you appear to be sexually attracted to my physical appearance, would you like me to summon a Model 500 Kim robot to your suite? CyberFem's line of Kim robots are all outwardly identical, as I am sure you have noticed. The only difference between them is their model number and their programming."

(pause)

Kim 700: "Excellent choice, Mr. Ames. A Model 500 Kim

robot will arrive at your suite shortly. She should be here in approximately six minutes and four seconds.”

Kim 700: “Goodbye Mr. Ames. Have a good day.”