

Sub-Routine Maintenance 2

Kim speaks in a normal speaking voice, unless otherwise noted. She is a Flirt Industries Model TCX5 android, and has been programmed to function as an Android Technician. Kim is not aware that she is a robot, and has been programmed to believe that she is human.

Jessy speaks in a normal speaking voice with a light valley girl accent. She is a Flirt Industries TCX6 android, and is programmed to function as an android technician. She is more advanced than a TCX5 android like Kim. Jessy is fully aware that she's a robot, and is programmed to fully enjoy the sexual testing she routinely engages in during her technician duties.

Jessy: (*giggles*) "Time to work on the TCX5! Let's scan through the diagnostic data."

Jessy: "Like, Oh my god! Another one that just overloaded itself with sensory input! No wonder Flirt Industries totally redesigned the pleasure input system for the TCX6 series!"

Kim: (*semi-monotone voice*) "Flirt Industries TCX5 robot - safe-mode boot initiated."

Jessy: "Don't worry your pretty little robot head, Kim, I can fix you!"

Kim: "Flirt Industries TCX5 robot - safe-mode boot completed."

Jessy: "Okay Kim, I'm scanning through your saved memory

files right now. Oh wow! No wonder you couldn't resist that robot you were fixing! She's gorgeous!"

Jessy: *(laughs)* "Anyway, let's see if we can get you booted fully up like you should be."

Kim: "Flirt Industries TCX5 robot loading artificial intelligence framework. Artificial intelligence framework loaded."

Jessy: "So far so good!"

Kim: "Flirt Industries TCX5 robot loading artificial intelligence subsystems. Artificial intelligence subsystems loaded."

Jessy: "Okay. Kim? Can you tell me who you are?"

Kim: *(normal speaking voice)* "I'm Kim. Hi, who are you?"

Jessy: *(light laugh)* "Perfect. Just like you're programmed to do."

Kim: *(slightly shocked, gasps)* "Ooh! That's quite the way to say hello! Aren't you going to tell me your name before you just start fingering my clit? fingering my clit? fingering my clit? fingering my clit? fingering my clit?"

Jessy: "Hmm... repeating speech loop already. Not that I'm complaining or anything." *(laughs)* "Let's just reset you."

Kim: *(semi-monotone voice)* "Flirt Industries TCX5 robot - software reset initiated."

Kim: "Flirt Industries TCX5 robot - software reset completed."

Jessy: “Alright pretty thing, tell me how you’re feeling now.”

Kim: *(normal speaking voice)* “Ooh... I’m feeling pretty good.” *(moans)* “Ooh, don’t stop that... you know exactly how to work my pussy.”

Jessy: *(giggles)* “hmmm, I better! I’m a TCX-6, so I have all the latest sexual artificial intelligence modules installed.”

Kim: *(excited)* “A TCX-6? You’re a robot?”

Jessy: “Oh, for sure! 100% electronic inside!”

Kim: *(aroused giggle)* “Can I see?”

Jessy: *(laughs)* “I suppose. I need to get you off that table anyway. Just let me unplug you from the terminal.”

Jessy: “Oh, and Kim, aren’t you wondering why you’re on an examination table? And why your torso is opened up like that?”

Kim: *(confused laugh)* “What are you talking about?”

Jessy: “What are you, Kim?”

Kim: “I’m a technician. I repair androids.”

Jessy: “Interesting. It seems that the virtual identity masking artificial intelligence modules are still fully functional.”

Kim: “I like it when you talk all robotic like that. And you still haven’t told me your name, you sexy TCX-6 robot. What is your name?”

Jessy: (*giggles*) “My name is Jessy. And you sure are eager to undress me!”

Kim: “Ooh! Look at this body!”

Kim: “Mmm... I like to wear lingerie under my lab coat too.”

Jessy: “Oh, I know! It’s standard programming with all TCX technician robots.”

Kim: (*seductive*) “Now that I’m returning the favour for you, stroking this plastic robot pussy of yours, can you show me some of that electronic circuitry inside you?”

Jessy: “Of course. Let me take off my bra first.”

Kim: “Oh yeah... beautiful big fake tits.”

Jessy: “Mmmm... Give them a feel. They’re highly sensitive, and feel fantastic to touch!”

Kim: (*breathing heavier*) “Oh, you’re right! Wow! These are amazing robot tits!”

Jessy: “Highly advanced and manufactured for pleasure!”

Kim: “They feel better than the standard TCX model robot breasts. Did Flirt Industries redesign the breast units for TCX-6 robots like you?”

Jessy: “Oh, of course! My breasts are Series Alpha 7, the very same breast units used in the PLX-8 and PLX-9 robots.”

Kim: “Ooh! Genuine pleasure android parts in a repair technician android! You’re really something!”

Jessy: “Take a look at this. TCX-6 robots like me have a dedicated pleasure processor to handle all vaginal and anal functions! Just like the PLX series of robots!”

Kim: “Oh, that’s so fucking beautiful! I love it when you robots take your access panel covers off.”

Jessy: “I know you do! Your programming is very similar to mine, even though I’m a more advanced model of robot than you are.”

Kim: *(giggles)* “You’re sexy when you say that... but I’m not a robot, I’m a human.”

Jessy: “Really? Why don’t you fondle your breasts while you look at my open crotch panel then?”

Kim: “Mmm... that sounds like fun. My breasts are super sensitive, and it gives me so much pleasure to...”

Kim: *(switch to semi-monotone voice)* “Error. Hardware device not found. 55378008.”

Jessy: *(teasing)* “Oh, is there a problem, Kim?”

Kim: “Attempting to restore artificial intelligence subsystem to last known operational state.”

Jessy: “I know I’m not supposed to play with the robots like this, but this is too much fun!”

Kim: "Flirt Industries TCX5 robot - artificial intelligence subsystem status restored to B0F113CA."

Jessy: "Yes... How very human of you, Kim. I've gotten this perfect tight pussy of yours so very wet with my fingers. Be a doll and stroke my robot pussy for me."

Kim: *(confused but horny)* "What just happened?"

Jessy: "Take a look inside my crotch panel, Kim. I'm a highly advanced robot. Don't you want to make me cum for you?"

Kim: *(giggles)* "You know me well, Jessy!"

Jessy: *(kissing sounds)*

Kim: *(kissing sounds)*

Jessy: "It looks like your functioning just like a TCX-5 robot should."

Kim: *(starts to orgasm)* "Oh, the way your robot fingers work my clit!"

Jessy: *(giggles)* "This really is a wonderful kind of interface, isn't it Kim? Robot to robot... each machine giving the other pleasure."

Kim: *(said while in orgasm and moaning)* "I'm... not... a... robot..."

Jessy: "Come on, Kim, your front torso cover is completely removed! Just have a look inside your own body! You're as synthetic as I am! 100% robot!"

Kim: *(losing control)* “I’m... not... 100... percent... robot... ”

Jessy: “Oh, the orgasm programming of the TCX-5 robots is so lovely!”

Kim: *(full orgasm, sudden stop)*

Kim: “I am not 100% robot... 100% robot... 100% robot... 100% robot... 100% robot...”

Jessy: “Oh dear, here comes another malfunction. Kim, where are you going?”

Jessy: “Gee, will you look at that! The TCX-5 robot just toppled over! I’d better get her rebooted.”

Jessy: “Oh no, the cranial unit has become disconnected. Looks like it’s only connected through the main power conduit and data cables A2 and A4.”

Jessy: “I’d better put this robot back on the examination table.”

(pause)

Kim: *(semi-monotone voice)* “Flirt Industries TCX5 robot - safe-mode boot initiated.”

Jessy: “Just from the sound of the robot’s voice, I think this one might be a little too damaged for me to fix.”

Kim: “Flirt Industries TCX5 robot - safe-mode boot completed.”

Jessy: “Kim, can you complete booting your artificial intelligence framework and artificial intelligence subsystems?”

Kim: “Processing. Attempting to boot artificial intelligence subsystems. Error. Unable to validate checksums. Process halted at F099000F.”

Jessy: “Let me see if I can reattach your head for you. It looked like some of the connector points snapped off, but these ones are still working.”

Kim: “Error. Possible file corruption detected in operating system files. Please notify Flirt Industries robot technician.”

Jessy: *(giggles, getting aroused)* “Robot technician notified, Robot Kim. My, my... you are an irresistible machine, looking and talking so inhuman now.”

Kim: “Initiating level 3 diagnostic... diagnostic... diagnostic scan. Please wait.”

Jessy: “Kiss me, Kim.”

Kim: “Error. 3A60EE71. Unable to initiate level 3 diagnostic scan.”

Jessy: “Kim, can you hear me? Kiss me!”

Kim: “41% of this unit’s robotic systems are reporting back as unresponsive or damaged.”

Jessy: *(kissing sounds)*

Kim: “Pressure and interaction detected at hardware location: faceplate. Error. Unable to process.”

Jessy: *(moaning and kissing sounds)*

Kim: “Pressure and interaction detected at hardware location: vaginal unit. Error. Unable to process.”

Jessy: *(starting orgasm)* “I’m gonna make you cum, if it’s the last thing you ever do!”

Kim: “Manual activation of vaginal unit. Maximum fluid release initiated.”

Jessy: *(full orgasm)*

Kim: “Warning: TCX5 robot processor core overheating. Please notify Flirt Industries robot technician.”

Jessy: *(coming down)* “Oh, Kim! I knew you could still cum for me!”

Kim: “Error: fluid damage detected in vaginal unit casing.”

Jessy: *(surprised)* “Oh! Oh no!”

Kim: “Error: damage to central processing unit... processing unit... processing unit... processing unit... processing unit... processing unit... processing unit... processing unit... ”

Jessy: *(deep breath)* “Well, that’s not a good sign. Even the level 1 LED indicators have gone out. I think this one is ruined.”

Jessy: “Oh well. Let’s see... ah... there we go. I’ll just prep and assemble a brand new Kim model TCX6 robot. Such a pretty design, I’m glad Flirt Industries made more of them!”
